	Application No.	Applicant(s)
Notice of Allowability	10/518,958	BECH, ARILD
	Examiner	Art Unit
	Jesús D. Sotelo	3617
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>2-10</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements</li> </ul>		
noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E   Notice of Information	Patent Application (PTO 452)
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>		Patent Application (PTO-152)
2. In Notice of Draitperson's Faterit Drawing Review (F10-546)	Paper No./Mail Da 8), 7. Examiner's Amendi	te
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>	08), 7. ☐ Examiner's Amendi	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance

Art Unit: 3617

## **Drawings**

1. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the present drawings are informal. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

## REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance:

The prior art does not disclose an anchoring system for holding a vessel during loading and unloading including a surface buoy connected to a subsurface buoy having an adjustable ballast and being swiveled and an at least one anchor connected to the subsea buoy with a mooring line having sufficient slack to permit the subsea buoy to be raised to the surface and further including a clump weight attached to at least one of the anchor lines and being positioned above the sea floor to provide position-holding force, generally as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Application/Control Number: 10/518,958 Page 3

Art Unit: 3617

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

3. Claims 2-10 are allowed.

4. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Jesús D. Sotelo whose telephone number is 571-272-6686. The

examiner can normally be reached on Mon. – Fri. 5:30 AM – 2:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Mr. Samuel J. Morano can be reached on 571-272-6684. The fax phone number for

the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner Art unit 3617

KNX 03D69 ©

ids

December 10, 2005